11. REFERENCES

Bunjes H., H.J. Michel Koch. (2015). Saturated phospholipids promote crystallizatn but slow down polymorphic transitn s in triglyceride nanoparticles. Journal of Controll. Rel., 107: 229–243.

Ricci M., F. Bonna, C. Puglia, S. Giovagnoli, C. Di Giovanni, C. Rossi. (2015). Evaluat n of indomethacin percutaneous absorptn from NLC: invitro & invivo studies. Journal of Pharma Sci., 94(5):1149-59.

Mohanraj V, Chen Y. (2016). Nanoparticles – A Rev. Tropical Journal of Pharmaceutical Res., 5:561-573.

Patravale VB. (2017). SLN of tretinoinPotential in topical delivery. International Journal Pharma.,163-171.

Kaur Indu Pal, Swati Bhandari, Vandita Kakkar, Rohit Bhandari. (2018). Potential of SLN in brain targeting. Journal of Contr. Rel., 127:97-109

Ferreiraa, Gisele A., Castroa, Anna Luíza, L.R. Coelhoa, Cleida A. Oliveirab, Germán A.B., Mahechab,Rodrigo, L. Oréficec. (2019). Formatn of ion pairing as an alternative to improve encapsulatn & stability & to reduce skin irritation of retinoic acid loaded in SLN. International Journal.of Pharmaceutic, 381:77–83

Liolios CC., Gortzi O., Lalas S., Tsaknis J., Chinou I. (2019). Liposomal incorporat n of carvacol and thymol isolated from the E.O. of O. dictamnus L. & invitro anti-microbial activity. Food Chem., 112:77-83.

Liu J., Chen H., Hu W. (2017). Isotretinoin-loaded SLN with skin targeting for topical delivery. International Journal Pharm., 328:191–5.

Lucas A.M., Ferreiraa, Gisele A., Castroa, Anna Luíza, L.R. Coelhoa, Cleida A. Oliveirab, Germán A.B., Mahechab,Rodrigo, L. Oréficec. (2019). Formatn of ion pairing as an alternative

to improve encapsulatn & stability & to reduce skin irritation of retinoic acid loaded in SLN. International Journal.of Pharmaceutic, 381:77–83

Lv F., Liang H., Yuan Q., Li C. (2011). Invitro anti-microbial effects & mechanism of action of selected plant E.O. combinatn s against four foodrelated microorganisms. Food Res. International, 44:3057–3064.

M. Pedersen, Frederiksen H.K., H.G. Kristensen. (2013). SLN formulatn s of the pyrethroid gamma-cyhalothrin -incompatibility of the lipid & the pyrethroid & biological properties of the formulatn s. Journal of Controll. Rel., 86:243-252.

M.J. Lawrence, G.D. Rees. (2010). Microemulsion-based media as NDDS. Adv. Drug Del.Rev., 45:89-121

Maa Y.F., Hsu, C.C. (2019). Performance of sonicatn & microfluidizatn for liquid-liquid emulsificatn . Pharm. Dev. Technol., 4:233-240.

Mader K, Mehnert W. (2011). SLN – Productn , characterizatn & applicatn s. Adv. Drug Del.Rev., 47:165-196.

Maderuelo C., Zarzuelo A., Lanao JM. (2011). Critical factors in the release of drugs from sustained release hydrophilic matrices. Journal of Controlled Release, 154:2-19.

Mandawgade S. D., Patravale VB. (2018). Development of SLN from natural lipids: applicatn to topical delivery of tretinoin. International Journal Pharm, 363:132–8.